

Chickpea

Main Characteristics of Varieties

Market Class	Variety	Years Tested	Yield (% Amit)		Ascochyta Blight ²	Height (cm)	Days to Flower	Maturity	Seed Weight (g/1000)	Seed Shape ³	Seed or Seed Coat Colour ⁴
			Area 1 ¹	Area 2 ¹							
Kabuli	Amit (B-90) ☺	16	100	100	4.4	47	56	L	258	Ro	B
	CDC Alma	9	92	92	6.1	42	54	L	365	RH	B
	CDC Frontier	16	108	104	4.5	45	55	L	349	RH	B
	CDC Leader	12	109	108	4.4	42	54	M	392	RH	B
	CDC Luna	15	98	100	5.7	40	54	ML	370	RH	B
	CDC Orion	11	108	106	5.0	44	51	L	435	RH	B
	CDC Palmer ☹	7	107	105	4.8	42	53	ML	420	RH	B
Desi	CDC Consul	10	107	110	3.9	46	53	M	303	P	LT
	CDC Cory	9	114	107	4.2	48	57	M	271	A/P	T

¹ Area 1: Brown soil zone; Area 2: Dark Brown soil zone; see map on page 2.

² Ascochyta Blight at pod filling period: 0-9 scale; 0 = no symptom; 9 = plants are completely blighted. Scores 4-6 are considered intermediate resistance (I).

³ Seed shape: Ro = Round; RH = Ram-head; P = plump; A = angular

⁴ Seed or seed coat colour: B = beige; LT = light tan; T = tan.

ADDITIONAL INFORMATION

Please refer to *SaskSeed Guide 2017* for pedigreed seed availability. For more details on production, consult the *Pulse Pro-*

duction Manual published by the Saskatchewan Pulse Growers (www.saskpulse.com).