

Post-Emergent Weed Control in Chickpeas—2018

Herbicide**	Herbicide Group	Application Stage	Tank-Mix Options (on label)	Primary Target	Re-cropping (year after)
Select®/Centurion®/ Statue™/ Arrow®/Shadow™ RTM/ Patron 240/Antler™/MPower® Independence™ (clethodim)	1	Up to the 9 above-ground node stage, and no larger than 7 inches in height	None on label	Grassy weeds	None
Sencor®/TriCor®/Squadron®/ Squadron/Buzzin® 70WDG/ Metrix SC	5	Up to 2.5 inches in height (and 1 to 3 above-ground nodes)	None on label	Broadleaf weeds	Crop restrictions on label
Solo® ADV ** (imaxamox)	2	1 to 6 above-ground node	None on label	Broadleaf weeds Grassy weeds	Crop restrictions on label
Poast® Ultra (sethoxydim)	1	Any (65 day pre-harvest interval)	None on label	Grassy weeds	None
Assure® II/Yuma™ GL/Contender® (quizalofop)	1	Any (85 day pre-harvest interval)	None on label	Grassy weeds	None

*Application stages on labels may refer to leaf, node, or above-ground node stages.

**Herbicide is for use on imidazolinone tolerant chickpea varieties only.

There may be restrictions on label for rates, varieties, or soil types. Consult label or manufacturer for more detail. Always read and follow label directions. This information is only a guide, if label information differs, follow label instructions.