

## Post– Emergent Weed Control in Faba Beans

Herbicide	Herbicide Group	Application Stage*	Tank-Mix Options (supported or on label)	Primary Target	Re-cropping (year after)
<b>Basagran®/Basagran® Forte/ Benta Super/Broadloom®</b> (bentazon)	6	From two leaf stage or four inches in height and larger	None on label	Broadleaf weeds	None
<b>Select®/Centurion®/Shadow® RTM</b> (clethodim)	1	Any (60 day pre-harvest interval)	None on label	Grassy weeds	None
<b>Odyssey® NXT/Duet™</b> (imaxamox + imazethapyr)	2	One to six leaf stage (one to six above-ground node)	Poast® Ultra	Broadleaf weeds Grassy weeds	Crop restrictions on label
<b>Odyssey® Ultra NXT</b> (imaxamox + mazethapyr + sethoxydim )	1 + 2	One to six leaf stage (one to six above-ground node)	Poast® Ultra	Broadleaf weeds Grassy weeds	Crop restrictions on label
<b>Poast® Ultra</b> (sethoxydim)	1	Any (80 day pre-harvest interval)	Odyssey® Ultra NXT Odyssey® NXT/Duet™	Grassy weeds	None
<b>Assure® II/Yuma™ GL/ Contender®</b> (quizalofop)	1	Any (30 day pre-harvest interval)	Odyssey® NXT	Grassy weeds	None
<b>Viper® ADV</b> (Imazamox + bentazon)	2 + 6	One to six leaf stage (one to six above-ground node)	None on label	Broadleaf weeds Grassy weeds	Crop restrictions on label

\*Application stages on labels may refer to leaf, node, or above-ground node stages.

There may be restrictions on label for rates, varieties, or soil types. Consult label or manufacturer for more detail. Always read and follow label directions. This information is only a guide, if label information differs, follow label instructions.

Version March 2019