



## Post-Emergent Herbicide Options for Dry Beans

June, 2023

### Post-Emergent Herbicide Options for Dry Beans

| Herbicide   | Herbicide Group | Application Stage  | Primary Target                  | Recropping (year after)    |
|---|-----------------|--|---------------------------------|----------------------------|
| Basagran®/Basagran® Forte/Benta Super/Berserk/<br>Broadloom®/Boa® (bentazon)  | 6               | After the first trifoliolate leaf; Not all varieties have been tested for tolerance; Check label for varieties                                       | Broadleaf weeds                 | None                       |
| Boa® IQ(bentazon + quizalofop)  | 1 + 6           | Any (30 day preharvest interval)   | Broadleaf weeds<br>Grassy weeds | None                       |
| Antler® 240/Antler® 360 Unpacked/Arrow®/Arrow® All-in/<br>Centurion®/Clethodim 240®/ Independence®/Patron 240/<br>Select®/Shadow™ RTM/ Statue™(clethodim) | 1               | Any (60 day preharvest interval); Not all varieties have been tested for tolerance; Check label for varieties  | Grassy weeds                    | None                       |
| Permit®(halosulfuron)   | 2               | Second to fourth trifoliolate (prior to flower); Not all varieties have been tested for tolerance; Check label for varieties                         | Broadleaf weeds                 | Crop restrictions on label |
| Davai™ 80 SL/Venim (imazamox)   | 2               | Emergence to 3 expanded trifoliolate leaves  | Broadleaf weeds<br>Grassy weeds | Crop restrictions on label |
| Viper® ADV/Python™/Benz (imazamox + bentazon)   | 2 + 6           | First fully expanded trifoliolate to second fully expanded trifoliolate; Not all varieties have been tested for tolerance; Check label for varieties | Broadleaf weeds<br>Grassy weeds | Crop restrictions on label |
| Quasar™(imazamox + imazethapyr)   | 2               | Emergence to second trifoliolate leaf  | Broadleaf weeds<br>Grassy weeds | Crop restrictions on label |
| Phantom®/Pursuit® (imazethapyr)   | 2               | Up to, and including, the second trifoliolate  | Broadleaf weeds<br>Grassy weeds | Crop restrictions on label |
| Assure® II/Contender®/Elegant 10EC/Idol™/Leopard®/<br>Marshall®/Quiz®/ Yuma™ GL (quizalofop)  | 1               | Any (30 day pre-harvest interval); Not all varieties have been tested for tolerance; Check label for varieties                                       | Grassy weeds                    | None                       |
| Poast® Ultra (sethoxydim)   | 1               | Any (80 day pre-harvest interval)  | Grassy weeds                    | None                       |

Refer to the product label or consult with chemical manufacturer for tank mix options.

\*Tank mix options may not be supported or registered for all products where multiple herbicides are listed.

There may be restrictions on label for rates, varieties, or soil types. Consult label or manufacturer for more detail. Always read and follow label directions. This information is only a guide, if label information differs, follow label instructions.

