



## Post-Emergent Herbicide Options for Faba Beans

June, 2023

### Post-Emergent Herbicide Options for Faba Beans

Herbicide	Herbicide Group	Application Stage*	Primary Target	Recropping (year after)
Basagran®/Basagran® Forte/Benta Super/Berserk/Broadloom®/Boa®/Viking Bentazon (bentazon)	6	After two to three leaf stage or four inches in height and larger	Broadleaf weeds	None
Viper® ADV/Benz/Ransack (bentazon + imazamox)	2 + 6	Three to six leaf stage (three to six above-ground nodes)	Broadleaf weeds Grassy weeds	Crop restrictions on label
Boa® IQ (bentazon + quizalofop)	1 + 6	Any (30 days preharvest interval)	Broadleaf weeds Grassy weeds	None
Centurion®/CO-OP Patron II/CO-OP Patron Complete/IPCO GraminX®/IPCO GraminX® Complete/Patron II/Select®1EC/Shadow® RTM (clethodim)	1	Any (60 day pre-harvest interval)	Grassy weeds	None
Amigo/Select Plus (clethodim + quizalofop)	1	Any	Grassy weeds	None
Odyssey® NXT (imazamox + imazethapyr)	2	One to six leaf stage (one to six above-ground node)	Broadleaf weeds Grassy weeds	Crop restrictions on label
Odyssey® Ultra Q (imazamox + imazethapyr + quizalofop)	1 + 2	One to six leaf stage (one to six above-ground node) (80 day preharvest interval)	Broadleaf weeds Grassy weeds	Crop restrictions on label
Assure® II/Contender®/Elegant 10EC/Idol™/Leopard®/Marshall®/Quiz®/Viking Quizalofop/Yuma™ GL (quizalofop)	1	Any (30 day pre-harvest interval)	Grassy weeds	None
Poast® Ultra (sethoxydim)	1	Any (80 day pre-harvest interval)	Grassy weeds	None

Refer to the product label or consult with chemical manufacturer for tank mix options.

\*Application stages on labels may refer to leaf, node, or above-ground node stages.

There may be restrictions on label for rates, varieties, or soil types. Consult label or manufacturer for more detail. Always read and follow label directions. This information is only a guide, if label information differs, follow label instructions.

Version May 2024